



Post Circumcision instructions

I, hereby consent/confirm that this circumcision is performed for religious/medical reasons. I am also aware that there is a law prohibiting circumcisions for non medical and non religious purposes.

Signature :

You will likely take your baby home the same day he is circumcised.

Some swelling around the penis is normal in the first few days after the surgery.

Some slight bleeding may occur. If this happens, apply direct but gentle pressure to the area with a clean cloth or bandage for about 5 to 10 minutes.

After surgery, your baby will feel some pain. He may be fussy and have trouble sleeping.

Leave the dressings on for 72hrs – 3 days

You will need to remove gauze from the penis, use warm water to soak the gauze and gently loosen it. This should take 5 minutes of soaking.

A thin yellow film will form over the circumcision site after surgery. This is part of the normal healing process and should go away in a few days. Although the penis is beginning to heal, it may look worse a few days after circumcision. The penis should look like it's getting better about a week after surgery.

Care after surgery after the dressing is removed

Here are some things you can do to help your baby feel more comfortable:

- Gently wash the penis with warm water after each diaper change. Don't use soap. Pat dry.
- Put Bactroban, on the circumcised area. This keeps the scab from sticking to the diaper.
- Make sure diapers are fastened loosely so there is less pressure on the penis while it heals.
- Don't try to remove the film that forms on the penis. It will go away on its own.